

MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps (



Luogo

Emilia-Romagna, Bologna

<https://www.annuncici.it/x-457774-z>



MODEM ROUTER TP-LINK TD-W8951ND ADSL 2+ WIFI ACCESS POINT LAN 150Mbps

Usato poco e perfettamente funzionante, completo di

- scatola
- alimentatore
- adattatore presa telefonica con cavetto

MODEM ROUTER TP-LINK TD-W8951ND ADSL 2+ WIFI ACCESS POINT LAN 150Mbps

Modem Router ed Access Point wireless forniscono una soluzione completa in un unico dispositivo , Velocità wireless fino a 150Mbps , ideale per applicazioni che richiedono molta banda o sensibili alle interruzioni come online.

Descrizione

TD-W8951ND Modem Router ADSL2+ 150Mbps Wireless N è un dispositivo tutto in uno, progettato per offrire con un'unica soluzione accesso e la condivisione Internet in una rete wireless/cablata. Con il programma Easy Setup Assistant incluso nel CD in dotazione, firewall SPI e NAT, funzione QoS ed altre caratteristiche avanzate, è possibile creare una rete wireless protetta in modo semplice e navigare in Internet, condividere file, VoIP, streaming audio e video.

CARATTERISTICHE HARDWARE

 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z	 MODEM ROUTER TP-LINK TD-W8951ND ADSL 2 WIFI ACCESS POINT LAN 150Mbps https://www.annunci.it/x-457774-z
---	--	--	--	---	--	--	--	--

Guadagno dell'antenna 3 dBi
CARATTERISTICHE WIRELESS
Standard wireless IEEE 802.11g, 802.11b, Lite N
Frequenza 2.400-2.4835GHz
EIRP <20dBm(EIRP)
Sicurezza wireless Supporto WEP 64/128 bit, WPA-PSK/WPA2-PSK, WPA/WPA2, Wireless MAC Filtering

CARATTERISTICHE SOFTWARE

Quality of Service QoS Remarking basato su IPP/ToS, DSCP e 802.1p
Port Forwarding Virtual server, DMZ, ACL(Access Control List)
VPN Pass-Through PPTP, L2TP, IPsec Pass-through
Protocolli ATM/PPP ATM Forum UNI3.1/4.0,
PPP over ATM (RFC 2364),
PPP over Ethernet (RFC2516),
IPoA (RFC1577/2225),
PVC - Fino a 8 PVC
Caratteristiche avanzate Traffic Shaping(ATM QoS) UBR, CBR, VBR-rt, VBR-nrt;
Dynamic Host Configuration Protocol (DHCP), DHCP relay;
Network Address Translation (NAT); PVC/Ethernet Port Mapping
VLAN, 802.1P, Static Routing, RIP v1/v2 (optional);
DNS Relay, DDNS, IGMP snooping V1/2IGMP Multicast, UPnP
Sicurezza NAT Firewall, SPI Firewall, MAC / IP / Packet / Application / URL Filtering, Denial of Service(DoS), SYN Flooding, Ping of Death
Gestione Configurazione da Web (HTTP), Gestione Remota, Configurazione da Telnet, Command Line Interface, SSL per TR-069, SNMP v1/2c, SNMP over EOC, Aggiornamento Firmware da Web, CWMP(TR-069), Strumenti di Diagnostica

ALTRO

Certificazioni CE, FCC, RoHS
Contenuto della confezione TD-W8951ND
Alimentatore
Splitter ADSL
Cavo DSL RJ11
Cavo Ethernet RJ45
CD con Software e Manuali
Manuale di Installazione Rapida
Requisiti di sistema Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ or Windows 7, MAC® OS, NetWare®, UNIX® o Linux.
Ambiente

Temperatura di Funzionamento: 0?~40? (32?~104?)
Temperatura Storage: -40?~70? (-40?~158?)
Umidità di Funzionamento: 10%~90% senza condensa
Umidità Storage: 5%~90% senza condensa Chiudi

Tel: 3476878205