

Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set



Luogo **Toscana, Siena**
<https://www.annunci.it/x-568742-z>

Splendido set hi-fi kenwood completo di tutte le componenti disponibili. Funzionante e ben tenuto.

L'impianto è composto da:
A-34 SPECS:
Power output: 40 watts per channel into 8 Ω (stereo)
Frequency response: 20Hz to 20kHz
Total harmonic distortion: 0.02%
Input sensitivity: 2.5mV (MM), 200mV (line)
Signal to noise ratio: 72dB (MM), 96dB (line)
Output: 200mV (line)
Dimensions: 360 x 129 x 375mm
Weight: 6.9kg
T74-L SPECS:
Type: Mono/Stereo Tuner
Tuning Bands: FM, MW, LW




Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set




Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set



Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set




Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set



Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set




Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set



Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set



Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set



Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set



Kenwood - A-34 Solid state integrated amplifier, T-74L Tuner, GE-540 Stereo graphic equalizer, P-25 Turntable, Set

Year: 1990\r
\r
\r
X-34 SPECS:\r
\r
Type: 2-head, single compact cassette deck\r
Track System: 4-track, 2-channel stereo\r
Tape Speed: 4.76 cm/s\r
Heads: 1 x record/playback, 1 x erase\r
Motor: electronically controlled DC\r
Tape Type: type I, CrO2, Metal\r
Noise Reduction: B\r
Frequency Response: 20Hz to 15kHz (Metal tape)\r
Signal to Noise Ratio: 64dB (dolby B)\r
Wow and Flutter: 0.09%\r
Total Harmonic Distortion: 1.0%\r
Dimensions: 420 x 110 x 250mm\r
Weight: 2.2kg\r
Year: 1985\r
\r
\r
DP-540 SPECS:\r
\r
Disc format: CD\r
Frequency response: 4Hz to 20kHz\r
Signal to Noise Ratio: 103dB\r
Channel separation: 100dB\r
Total harmonic distortion: 0.001%\r
Line output: 2V\r
Digital connections: optical\r
Dimensions: 440 x 107 x 314mm\r
Weight: 5.5kg\r
\r
\r
GE-540 SPECS:\r
\r
Output Level: 9V (max)\r
Gain: ± 0 dB\r
Frequency response: 10Hz to 70kHz\r
Signal to Noise Ratio: 100dB\r

Total harmonic distortion: 0.006%\r

Control Range: $\pm 12\text{dB}$ \r

Frequency Bands: 60, 150, 400, 1K, 2K, 4K, 6K, 15KHz\r

Dimensions: 360 x 89 x 353mm\r

Weight: 3.1kg\r

Year: 1991\r

\r

-giradischi 45/33 giri kenwood P-25 DC Servo!\r

\r

\r

Vengono forniti tutti i connettori originali Kenwood per interfacciare l'impianto.\r

Ha un difetto, gli attacchi delle cerniere del coperchio del giradischi sono rotte.\r

\r

Tutto testato e funzionante viene spedito imballato, in 2 scatole dati il peso e le dimensioni. Chiudi